## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently Amended) A method of storing data in a personal information terminal, comprising

composing data in a first application program of a plurality of application programs embedded in the personal information terminal, the data being of a first format;

converting a format of the composed data from the first format to a second format suitable for a second application program using a conversion program; and

storing the format-converted data in a database associated with the second application program, wherein each of the plurality of application programs is selectively operated in the personal information terminal, and wherein the first application program, the conversion program and the second application program are compiled and operate initiated and executed on the personal information terminal terminal, the conversion program capable of converting data from any one of the plurality of application programs into data in a format of any other of the plurality of application programs.

Docket No. LT-0010

- 2. (Original) The method of claim 1, wherein a data format of each application program is different from a data format of the other application programs.
- 3. (Original) The method of in claim 1, wherein each application program has an associated database to store data composed in the corresponding application program.
- 4. (Currently Amended) The method of claim 1, wherein the first application program is a document editing program and the second application program is one of a ealender calendar application configured to store schedule event data, and a contact manager application configured to store personal contact information data.
- 5. (Original) The method of claim 1, wherein composing data in the first application program comprises:

composing data in the first application program; and selecting the second application program in which to store the composed data.

6. (Original) The method of claim 1, wherein converting the format of the composed data comprises:

providing an information input window for entering format-matched data for the second application program; and

assigning data entered through the information input window to a corresponding data field of the second application program.

7. (Original) The method of claim 1, wherein composing data in the first application program comprises:

composing data in the first application program;

selecting a data block in the composed data; and

choosing the second application program in which to store data of the selected data block.

- 8. (Original) The method of claim 7, wherein a written order of words or phrases constituting the data in the data block is matched with a data field order of the database associated with the second application program.
- 9. (Previously Presented) The method of claim 8, wherein a delimiter between portions of data in the data block indicate a new data field.

10. (Original) The method of claim 7, wherein a beginning of the data block includes an identifier code to identify the second application in which to store the data.

- 11. (Original) The method of claim 1, wherein the composed data comprises a specific data item to indicate the second application program to which the composed data is to be stored, and wherein converting the format of the composed data converts the format of the composed data to a format specified in the second application program, based on the specific data item contained in the composed data.
- 12. (Original) The method of claim 11, wherein the specific data item is initially fixed according to a prescribed rule, and wherein the specific data item is changeable by a user.
- 13. (Currently Amended) A method of storing data in a personal information terminal, comprising:

composing data having a prescribed identifier code in a first one of a plurality of application programs, the prescribed identifier code being indicative of a second one of the plurality of application program programs into which the composed data is to be stored;

selecting the second application program among the plurality of application programs based on the prescribed identifier code using a table to matching prescribed identifier codes to corresponding application programs;

converting a format of the composed data from a first format to a second format using a conversion program, the second format corresponding to a format required by the second application program; and

storing the <u>converted</u> data in a database associated with the second application program, wherein each of the plurality of application programs is selectively <del>operated</del> initiated and executed in the personal information terminal, wherein said converting comprises operating the first application program using a first procedure to enter data in the first application program and operating the first application program using a second procedure to enter data in the first application program and the second application program database responsive to the second procedure, the conversion program capable of converting data from any one of the plurality of application programs into data in a format of any other of the plurality of application programs.

14. (Original) The method of claim 13, wherein the prescribed identifier code specifies a data section including a part of the composed data, and wherein converting the format of the composed data converts the data in the specified data section to the second format.

Docket No. LT-0010

15. (Original) The method of claim 14, wherein each of the plurality of application programs has a unique database associated with it, each database having unique data fields, and wherein the specified data section contains at least one delimiter to segment the data into each field data of the database to which it will be stored.

- 16. (Original) The method of claim 15, wherein the delimiter is one of a blank space, "/", and "^".
- 17. (Original) The method of claim 13, wherein the first application program is a document editing program, and the second application program is one of a commercial program named "Phone Book", "Contacts", "Scheduler", or "Tasks".
- 18. (Currently Amended) A method of storing data in a personal information terminal, comprising:

composing data of a first format in a first one of a plurality of application programs embedded in the personal information terminal, each of the plurality of application programs having mutually different data formats;

selecting a second application program in which to store the composed data;

converting a format of the composed data to a second format used by the second application program using a conversion program; and

storing the format-converted data in the second application program, wherein the first application program is a document editing program, and the second application program is each comprises one of a contact manager, an appointment scheduler, a telephone number organizer and a or a task list, wherein the first application program, a conversion program and the second application program are initiated and executed compiled and operate on the personal information terminal, the conversion program capable of converting data from any one of the plurality of application programs into data in a format of any other of the plurality of application programs.

19. (Original) The method of claim 18, wherein converting the format of the composed data comprises:

providing an information input window for entering format-matched data for the second application program; and

assigning data entered through the information input window to corresponding data fields of the second application program.

Serial No. 10/036,378

Amendment dated January 16, 2007

Reply to Office Action of October 19, 2006

Docket No. LT-0010

20. (Original) The method of claim 19, wherein each of the plurality of application programs has its own database in which to store data composed in the corresponding application

program.

21. (Original) The method of claim 19, wherein the information input window

includes a plurality sub-windows to which field data to be stored in corresponding fields of a

database of the second application program is entered.

22. (Canceled).

23. (Previously Presented) The method of claim 18, wherein the second application

program is one of a commercial program named "Phone Book", "Contacts", "Scheduler", or

"Tasks".

24. (Original) The method of claim 18, wherein composing data of the first format

comprises:

composing data in the first application program;

selecting a data section in the composed data; and

choosing the second application program in which to store data of the selected section.

25. (Currently Amended) A personal data assistant (PDA), comprising:

an input/output interface, configured to receive commands from a user and

display information;

a central processing unit (CPU), configured to receive and process commands

entered into the PDA; and

a memory, configured to accommodate a plurality of data bases associated with a

plurality of application programs, wherein a first application program stored on the PDA is

configured to receive and store data in a first database using a first data format, a second

application program stored on the PDA is configured to receive and store data in a second

database using a second data format, and wherein a conversion program is executed by the CPU

to receive the data in the first data format, reformat the received data to the second data format,

and store the reformatted data in the second database, wherein the first application program, the

conversion program and the second application program are initiated and executed compiled

and operate on the PDA, wherein contents of the first data format entered in the first

application program in the PDA are stored as re-formatted data of the second data format in the

second database in the PDA to match the second database to the first database while the first

Serial No. 10/036,378

Amendment dated January 16, 2007

Reply to Office Action of October 19, 2006

Docket No. LT-0010

application program is executed, the conversion program capable of converting data from any

one of the plurality of application programs into data in a format of any other of the plurality of

application programs.

26. (Canceled).

27. (Currently Amended) The device of claim 25, wherein the first application

program is a document editing program, and wherein the second application program is one of a

contact manager program, an address book program, a calendar program, a task tracking

program, and or an appointment tracking program.

28. (Currently Amended) The device of claim 25, wherein the conversion program

performs one of a manual conversion of data and or an automatic conversion of data.

29. (Original) The device of claim 28, wherein the conversion program performs

manual conversion of data by generating an information input window within the first

application for inputting data in prescribed fields of the second application.

30. (Original) The device of claim 29, wherein data inputted into sub-windows of the information input window is stored into corresponding fields of the second database.

- 31. (Original) The device of claim 28, wherein the conversion program performs automatic conversion of data by determining an application program into which the data is to be stored and determining individual data fields within the data.
- 32. (Currently Amended) The device of claim 31, wherein prescribed portions of the data to be converted contain identification markers to indicate the application program into which the <u>reformatted</u> data is to be stored, and wherein delimiters in the data indicate a beginning of at least one data field, wherein the input/output interface comprises a touch screen.
  - 33. (Currently Amended) A personal data assistant (PDA), comprising:

a first application program, configured to receive and store data in a first database using a first data format;

a second application program, configured to receive and store data in a second database using a second data format; and

a conversion program, configured to receive the data in the first data format, reformat the data to the second data format, and store the reformatted data in the second

Serial No. 10/036,378

Amendment dated January 16, 2007

Reply to Office Action of October 19, 2006

Docket No. LT-0010

database, wherein contents of the data entered in the first application program in the PDA are

stored as re-formatted data in the second database in the PDA to match the second database to

the first database while the first application program is executed, wherein the first application

program, the conversion program and the second application program are initiated and executed

compiled and execute on the PDA, the conversion program capable of converting data from any

one of a plurality of application programs in the PDA into data in a format of any other of the

plurality of application programs in the PDA.

34. (Currently Amended) The device of claim 33, wherein the first application

program is a document editing program, and wherein the second application program is one of a

contact manager program, an address book program, a calendar program, a task tracking

program, and or an appointment tracking program, wherein the first and second databases are

matched without data entry in the second application program.

35. (Currently Amended) The device of claim 33, wherein the conversion program

performs one of a manual conversion of data and or an automatic conversion of data.

36. (Currently Amended) A computer readable medium having stored thereon a sequence of instructions which, when executed by a processor, cause the processor to perform-a sequence of steps, comprising:

reading data of a first format from a first application program;

converting the first format to a second format using a conversion program, the second format being suitable for a second application program different from the first application program;

storing the data in the second format in a database associated with the second application program; and

selectively operating each of the first and second application programs, wherein the first application program, a conversion the conversion program and the second application program are initiated and executed compiled and operate on the processor, the conversion program capable of converting data from any one of a plurality of application programs in the processor into data in a format of any other of the plurality of application programs in the processor.

37. (Previously Presented) The method of claim 18, wherein each of the first and second application programs are operated in the personal information terminal to respectively display data stored in the first and second application programs.

Serial No. **10/036,378** Amendment dated <u>January 16, 2007</u> Reply to Office Action of October 19, 2006

Docket No. LT-0010

38. (Canceled).